





PCB Drill Bit Technical Data (ST & UC Type)

1. Drill Bit Attribute Diagram




2. Drill Bit Shape & Name of each Part.





3. ST Serials Drill Bit

The ST serials straight Drill bit with high hardness flue, it can guarantee the drilling accuracy and suitable for all kind of PCB/FPC. Like Fr4, and some environment-friendly PCB.



D [mm]	L [mm]	L [mm]
0.10	1.20	
0.20	3.50	4.00
0.25	4.50	5.00
0.30	5.50	6.00
0.35	6.50	7.00
0.40	7.00	7.50
0.45	7.00	7.50
0.50	7.00	8.50
0.55	7.00	8.50
0.60	8.00	8.50
0.65	8.00	9.50

D [mm]	L [mm]	L [mm]
0.70	8.00	10.50
0.75	8.00	10.50
0.80	8.00	10.50
0.85	8.00	10.50
0.90	8.00	10.50
0.95	8.00	10.50
1.00-1.20	10.00	10.50
1.25-1.40	10.00	12.00
1.45-1.60	10.00	12.00
1.65-3.17	10.00	12.00



4. UC Serials Drill Bit

The UC serials Drill bit is suitable for regular PCB drilling, special it is suitable for High Tg PCB and some other PCB that with higher hardness.

